



LIBROS

Gay C, Pinera M, Valmaseda E. Cordales incluidos. Exodoncia quirúrgica. Complicaciones. En: Gay C, Berini L. Tratado de Cirugía Bucal. Tomo I. 1^a Ed. Madrid: Editorial Ergón S.A.; 2004. p 387-457.

Cruz D, Romero MM. Las inclusiones dentarias. En: Gutiérrez JL, Infante P, Romero MM. Manual de enseñanzas prácticas en cirugía bucal. 1^a Ed. Sevilla: Editorial Universidad de Sevilla; 1998. p 139-144.

Donado M. Cirugía Bucal. Patología y técnica. 2^a Ed Masson Barcelona 2005.

Raspall G. Cirugía de las retenciones dentarias. En: Cirugía oral e implantología. 2^a Ed. Madrid: Editorial Médica Panamericana S.A.; 2006. p 102-4.

Santamaría J, Arteagoitia I. Terceros molares retenidos. En: Santamaría J. Lecciones de Cirugía Bucal (I). Servicio de Publicaciones de la Universidad del País Vasco/Euskal Herriko Unibertsitatea. Leioa. 1997. p 143-254

Santamaría J, Barbier L Cirugía Bucal. Guía Práctica. Servicio de Publicaciones de la Universidad del País Vasco/Euskal Herriko Unibertsitatea. Leioa. 2003.

BASES DE DATOS ELECTRÓNICAS

Medline Pub Med

Ovid.

Cochrane

ARTÍCULOS CONSULTADOS EN REVISTAS CIENTÍFICAS

Acham S, Klampfl A, Truschneqq A, Kirmeler R, Sandner-Klesling A, Jakse N. Beneficial effect of methylprednisolone after mandibular third molar surgery: a randomized, double-blind, placebo-controlled split-mouth trial. Clin Oral Investg. 2012 Oct 30. [Epub ahead of print].

Adde CA, Soares MS, Romano MM, Carnaval TG, Sampaio RM, Aldarvis FP, Federico LR. Clinical and surgical evaluation of the indication of postoperative antibiotic prescription in third molar surgery. Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2012; 114(5 Suppl): s26-31.

Agrawal M, Billur Q, Akhter M. Extraction of asymptomatic tooth with and without antibiotic therapy. BSMMU J. 2012; 5(1): 24-8.

Aguirrezzabal J, Arteagoitia I, Díez MA, Ramos EM. Medicamentos más utilizados en odontoestomatología. Principales características. [Internet]. Bilbao: Colegio Oficial de Farmacéuticos de Bizkaia; 2013 [acceso 1 de febrero de 2013]. Disponible en: https://www.cofbizkaia.net/Sec_CN/wf_contenido.aspx?IdMenu=440

Al-Asfour A. Postoperative infection after surgical removal of impacted mandibular third molars: an analysis of 110 consecutive procedures. Med Princ Pract. 2009; 18(1): 48-52.



Alissa R, Esposito M, Horner K, Oliver R. The influence of platelet-rich plasma on the healing of extraction sockets: an explorative randomised clinical trial. *Eur J Oral Implantol.* 2010; 3(2): 121-34.

American Heart Association. Prevention of rheumatic fever and bacterial endocarditis through control of streptococcal infections. *Circulation.* 1955; 11: 317-20.

Amin MM, Laskin DM. Prophylactic use of indomethacin for prevention of postsurgical complications after removal of impacted third molars. *Oral Surg Oral Med Oral Pathol.* 1983; 55(5): 448-51.

Antibiotic prophylaxis of infective endocarditis: Recommendations from the endocarditis working party of the British Society for Antimicrobial Chemotherapy. *Lancet.* 1990; 264: 2919-22.

Arakeri G, Brennan PA. Povidone-iodine: an anti-oeematous agent? *Int J Oral Maxillofac Surg.* 2011; 40(2): 173-6.

Arteagoitia MI, Diez MA, Barbier L, Landa S, Santamaría G, Santamaría J. Antibioterapia sistemática preventiva de la alveolitis seca en la exodoncia del tercer molar inferior: revisión sistemática. *RCOE.* 2002; 7(6): 603-11

Arteagoitia I, Diez A, Barbier L, Santamaría G, Santamaría J. Efficacy of amoxicillin/clavulanic acid in preventing infectious and inflammatory complications following impacted mandibular third molar extraction. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2005; 100(1): e11-8.

Ataoglu H, Oz GY, Candirli C, Kiziloglu D. Routine antibiotic prophylaxis is not necessary during operations to remove third molars. *Br J oral Maxillofac Surg.* 2008; 46(2): 133-5.

Aznar L, Harutunian K, Figueiredo R, Valmaseda E, Gay C. Effect of preoperative ibuprofeno on pain and swelling after lower third molar removal: a randomized controlled trial. *Int J Oral Maxillofac Surg.* 2012; 41(8): 1005-9.

Babar A, Ibrahim MW, Baig NJ, Shah I, Amin E. Efficacy of intra-alveolar chlorhexidine gel in reducing frequency of alveolar osteitis in mandibular third molar surgery. *J Coll Physicians Surg Pak.* 2012; 22(2): 91-4.

Bai Z-C, Shi S-G, Li Li-L, Niu Z-Y, Zhang Y-R. Application of acellular dermal matrix embedded in socket after wisdom tooth extraction. *Journal of Clinical Rehabilitative Tissue Engineering Research.* 2011; 15(34): 6457-60.

Baqain ZH, Al-Shafii A, Hamdan AA, Sawair FA. Flap design and mandibular third molar surgery: a split mouth randomized clinical study. *Int J Oral Maxillofac Surg.* 2012; 41(8): 1020-4.

Bauer HC, Duarte FL, Horliana AC, Tortamano IP, Perez FE, Simone JL et al. Assessment of preemptive analgesia with ibuprofen coadministered or not with dexamethasone in third molar surgery: a randomized double-blind controlled clinical trial. *Oral Maxillofac Surg.* 2012 Sep 5. [Epub ahead of print].

Benazzou S, Cheynet F, Brignol L, Guyot L, Chossegros C. Third molar extraction with massive hemorrhage treated by embolization. *J Craniofac Surg.* 2009; 20(2): 575-6.

Bergdahl M, Hedstrom L. Metronidazole for the prevention of dry socket after removal of partially impacted mandibular third molar: a randomised controlled trial. *Br J Oral Maxillofac Surg.* 2004; 42(6): 555-8.

Bezerra TP, Studart-Soares EC, Scapiro HC, Pita-Neto IC, Batista SH, Fonteles CS. Prophylaxis versus placebo treatment for infective and inflammatory complications of surgical third molar removal: a split-mouth, double-blind, controlled, clinical trial with amoxicillin (500mg). *J Oral Maxillofac Surg.* 2011; 69(11): e333-9.



Blondeau F, Daniel NG. Extraction of impacted mandibular third molars: postoperative complications and their risk factors. *J Can Dent Assoc.* 2007; 73(4): 325.

Bortoluzzi MC, Capella DL, Barbieri T, Marchetti S, Dresch CP, Tirello C. Does smoking increase the incidence of postoperative complications in simple exodontia? *Int Dent J.* 2012; 62(2): 106-8.

Bortoluzzi MC, Capella DL, Barbieri T, Pagliarini M, Cavalieri T, Manfro R. A single dose of amoxicillin and dexamethasone for prevention of postoperative complications in third molar surgery: a randomized, double-blind, placebo controlled clinical trial. *J Clin Med Res.* 2013; 5(1): 26-33.

Bouloux GF, Steed MB, Perciaccante VJ. Complications of third molar surgery. *Oral Maxillofac Surg Clin North Am.* 2007; 19(1): 117-28, vii.

Brasileiro BF, de Bragança RM, Van Sickels JE. An evaluation of patients' knowledge about perioperative information for third molar removal. *J Oral Maxillofac Surg.* 2012; 70(1): 12-8.

Brignardello R, Carrasco A, Araya I, Yanine N, Beyene J, Shah PS. Is adjuvant laser therapy effective for preventing pain, swelling, and trismus after surgical removal of impacted mandibular third molars? A systematic review and meta-analysis. *J Oral Maxillofac Surg.* 2012; 70(8): 1789-801.

British Society for Antimicrobial Chemotherapy. Report of a working party. The antibiotic prophylaxis of infective endocarditis. *Lancet.* 1982; 2: 1323-6.

British Society for Antimicrobial Chemotherapy. Report of a working party. The antibiotic prophylaxis of infective endocarditis. *Lancet.* 1986; 1: 1267.

Bulut E, Bulut S, Etikan I, Koseoglu O. The value of routine antibiotic prophylaxis in mandibular third molar surgery: acute-phase protein levels as indicators of infection. *J Oral Sci.* 2001; 43(2): 117-22.

Burgoyne CC, Giglio JA, Reese SE, Sima AP, Laskin DM. The efficacy of a topical anesthetic gel in the relief of pain associated with localized alveolar osteitis. *J Oral Maxillofac Surg.* 2010; 68(1): 144-8.

Calvo AM, Brozoski DT, Giglio FPM, Gonçalves PZ, Sant'ana E, Dionísio TJ et al. Are antibiotics necessary after lower third molar removal? *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2012; 114(5 Suppl): s199-208.

Caso A, Hung LK, Beirne OR. Prevention of alveolar osteitis with chlorhexidine: a meta-analytic review. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2005; 99(2): 155-9.

Catálogo de Medicamentos 2012. Madrid: Consejo General de Colegios Oficiales de Farmacéuticos; 2012.

Célio-Mariano R, de Melo WM, Carneiro-Avelino C. Comparative radiographic evaluation of alveolar bone healing associated with autologous platelet-rich plasma after impacted mandibular third molar surgery. *J Oral Maxillofac Surg.* 2012; 70(1): 19-24.

Chadwick BL. Assessing the anxious patient. *Dent Update.* 2002; 29(9): 448-54.

Cheung LK, Leung YY, Chow LK, Wong MC, Chan EK, Fok YH. Incidence of neurosensory deficits and recovery after lower third molar surgery: a prospective clinical study of 4338 cases. *Int J Oral Maxillofac Surg.* 2010; 39(4): 320-6.

Chew B, Cheng WL, Tay S, Fei YJ. Comparison of two commercially available mouth rinses on gingival inflammation, pain and acceptability after third molar surgery. *Singapore Dent J.* 2007; 29(1): 34-40.



Dajani AS, Taubert KA, Wilson W, Bolger AF, Bayer A, Ferrieri P et al. Recommendations by the American Heart Association. Prevention of bacterial endocarditis. *Circulation*. 1997; 96(1): 358-66.

Daly B, Sharif MO, Newton T, Jones K, Worthington HV. Local interventions for the management of alveolar osteitis (dry socket). *Cochrane Database Syst Rev*. 2012 Dec 12;12:CD006968.doi: 10.1002/14651858.CD006968.pub2.

De Moura WL, de Moura WL, Freire SASR, Mendes SM, Olate S. Efficacy of amoxicillin treatment in preventing postoperative complications in patients undergoing third molar surgery: a double blind study. *International Journal of Odontostomatology*. 2011; 5(2): 147-52.

De Santana T, de Souza JA, Martins PR, da Silva LC, de Oliveira E, Gomes AC. Prediction of postoperative facial swelling, pain and trismus following third molar surgery based on preoperative variables. *Med Oral Patol Oral Cir Bucal*. 2013; 18(1): e65-70.

Demirbas F, Gjermo PE, Preus HR. Antibiotic prescribing practices among Norwegian dentists. *Acta Odontol Scand*. 2006; 64(6): 355-9.

Dolanmaz D, Esen A, Isik K, Candirli C. Effect of 2 flap designs on postoperative pain and swelling after impacted third molar surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol*. 2012 Jul 20. [Epub ahead of print].

Doshi D, Baldava P, Reddy S, Singh R. Self-reported knowledge and practice of American Heart Association 2007 guidelines for prevention of infective endocarditis: a survey among dentists in Hyderabad City, India. *Oral Health Prev Dent*. 2011; 9(4): 347-51.

El-Sharrawy EA, El-Hakim IE, Sameeh E. Attenuation of C-reactive protein increases after exodontias by tramadol and ibuprofen. *Anesth Prog*. 2006; 53(3): 78-82.

Faria RL, Carsdoso LM, Akisue G, Pereira CA, Junqueira JC, Jorge AO et al. Antimicrobial activity of Calendula officinalis, Camellia sinensis and chlorhexidine against the adherence of microorganisms to sutures after extraction of unerupted third molars. *J Appl Oral Sci*. 2011; 19(5): 476-82.

Ferrús E, Valmaseda E, Berini L, Gay C. Informed consent in oral surgery: the value of written information. *J Oral Maxillofac Surg*. 2011; 69(1): 54-8.

Fleischmann D, Boas FE. Computed tomography-old ideas and new technology. *Eur Radiol*. 2011; 21(3): 510-7.

Flores JM, Aguilar SH. Antimicrobianos en odontología: resultados de una encuesta sobre el tratamiento y prevención de infecciones, la profilaxis de endocarditis infecciosa y la combinación de antibióticos. *Revista ADM*. 2012; 69(1): 22-30.

Foy SP, Shugars DA, Phillips C, Marciani RD, Conrad SM, White RP. The impact of intravenous antibiotics on health-related quality of life outcomes and clinical recovery after third molar surgery. *J Oral Maxillofac Surg*. 2004; 62(1): 15-21.

Freudlsperger C, Deiss T, Bodem J, Engel M, Hoffmann J. Influence of lower third molar anatomic position on postoperative inflammatory complications. *J Oral maxillofac Surg*. 2012; 70(6): 1280-5.

Gallesio C, Berone M, Ruga E, Boffano P. Surgical extraction of impacted inferior third molars at risk for inferior alveolar nerve injury. *J Craniofac Surg*. 2010; 21(6): 2003-7.

Gersel-Pedersen N. Tranexamic acid in alveolar sockets in the prevention of alveolitis sicca dolorosa. *Int J Oral Surg*. 1979; 8(6): 421-9.



Goldsmith SM, De Silva RK, Tong DC, Love RM. Influence of a pedicle flap design on acute postoperative sequelae after lower third molar removal. *Int J Oral Maxillofac Surg.* 2012; 41(3): 371-5.

Gould FfK, Elliott TS, Foweraker J, Fulford M, Perry JD, Rogers GJ, et al. Guidelines for the prevention of endocarditis: report of the working party of the British Society for Antimicrobial Chemotherapy. *J Antimicrob Chemother.* 2006; 57(6): 1035-42.

Graziani F, Corsi L, Fornai M, Antonioli L, Tonelli M, Cei S et al. Clinical evaluation of piroxicam-FDDF and azithromycin in the prevention of complications associated with impacted lower third molar extraction. *Pharmacol Res.* 2005; 52(6): 485-90.

Greenstein G. Therapeutic efficacy of cold therapy after intraoral surgical procedures: a literature review. *J Periodontol.* 2007; 78(5): 790-800.

Grossi GB, Mariorana C, Garramone RA, Borgonovo A, Creminelli L, Santoro F. Assessing postoperative discomfort after third molar surgery: a prospective study. *J Oral Maxillofac Surg.* 2007; 65(5): 901-17.

Gupta S, Bhowate RR, Nigam N, Saxena S. Evaluation of impacted mandibular third molars by panoramic radiography. *ISRN Dent.* 2011; 406714.

Gutierrez JL, Bagán JV, Bascones A, Llamas R, Llena J, Morales A et al. Consensus document on the use of antibiotic prophylaxis in dental surgery and procedures. *Med Oral Patol Oral Cir Bucal.* 2006; 11(2): 188-205.

Gutiérrez JL, Infante P, Belmonte R, Torres D, Hita P. Protocolo en Infecciones Odontogénicas [Internet]. 2^a edición. Sociedad Española de Cirugía Bucal SECIB; 2005 [acceso 1 de febrero de 2013]. Disponible en: <http://www.secibonline.com/web/pdf/protocolos.pdf>

Halabí D, Escobar J, Muñoz C, Uribe S. Logistic regression analysis of risk factors for the development of alveolar osteitis. *J Oral Maxillofac Surg.* 2012; 70(5): 1040-4.

Halpern LR, Dodson TB. Does prophylactic administration of systemic antibiotics prevent postoperative inflammatory complications after third molar surgery?. *J Oral Maxillofac Surg.* 2007; 65(2): 177-85.

Hasegawa T, Ri S, Umeda M, Komori T. Multivariate relationships among risk factors and hypoesthesia of the lower lip after extraction of the mandibular third molar. *Oral Surg Oral Med oral Pathol Oral Radiol Endod.* 2011; 111(6): e1-7.

Hashemi HM, Beshkar M, Aghajani R. The effect of sutureless wound closure on postoperative pain and swelling after impacted mandibular third molar surgery. *Br J Oral Maxillofac Surg.* 2012; 50(3): 256-8.

Hedstrom L, Sjogren P. Effect estimates and methodological quality of randomized controlled trials about prevention of alveolar osteitis following tooth extraction: a systematic review. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2007; 103(1): 8-15.

Herrera FJ, Prados E, Reyes C, Vallecillo M. Update on the use of corticosteroids in third molar surgery: systematic review of the literature. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2012 Aug 16. [Epub ahead of print].

Hita P, Torres D, Flores R, Magallanes N, Basallote M, Gutierrez JL. Effectiveness of chlorhexidine gel versus chlorhexidine rinse in reducing alveolar osteitis in mandibular third molar surgery. *J Oral Maxillofac Surg.* 2008; 66(3): 441-5.



Horstkotte D, Follath F, Gutschik E, Lengyel M, Oto A, Pavé A et al. Guidelines on prevention, diagnosis and treatment of infective endocarditis executive summary; the task force on infective endocarditis of the European society of cardiology. *Eur Heart J.* 2004; 25(3): 267-76.

Huang D-Y, Nie E-M, Guo J-B, Ji L. Application of HEAL-ALL patch on the prevention of dry socket síndrome after tooth extraction. *Journal of Clinical Rehabilitative Tissue Engineering Research.* 2011; 15(29): 5409-12.

I

shihama K, Kimura T, Yasui Y, Komaki M, Ota Y. Azithromycin as prophylaxis for the prevention of postoperative infection in impacted mandibular third-molar surgery. *J Infect Chemother.* 2006; 12(1): 31-5.

Jerjes W, Upile T, Shah P, Nhembe F, Gudka D, Kafas P et al. Risk factors associated with injury to the inferior alveolar and lingual nerves following third molar surgery-revisited. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2010; 109(3): 335-45.

Jiménez Y, Bagán JV, Murillo J, Poveda R. Infecciones odontogénicas. Complicaciones. Manifestaciones sistémicas. *Med Oral Patol Oral Cir Bucal.* 2004; 9: s139-47.

Jovanovic G, Uric N, Krunic N, Tijanic M, Stojanovic S. Assessment of the effectiveness of low laser in the treatment of alveolar osteitis. *Vojnosanitetski Pregled.* 2011; 68(6): 506-10.

Kaczmarzyk T, Wichlinski J, Stypulkowska J, Zaleska M, Panas M, Woron J. Single-dose and multi-dose clindamycin therapy fails to demonstrate efficacy in preventing infectious and inflammatory complications in third molar surgery. *Int J Oral Maxillofac Surg.* 2007; 36(5): 417-22.

Kaczmarzyk T, Wichlinski J, Stypulkowska J, Zaleska M, Woron J. Preemptive effect of ketoprofen on postoperative pain following third molar surgery. A prospective, randomized, double-blinded clinical trial. *Int J Oral Maxillofac Surg.* 2010; 39(7): 647-52.

Kalender WA. Principles of computed tomography. En: Computed tomography: fundamentals, system technology, image quality, applications. 3^a Ed. Erlangen: Editorial Publicis Publishing; 2011. p 18-21.

Kalender WA. X-ray computed tomography. *Phys Med Biol.* 2006; 51(13): R29-43.

Kamulegeya A, William B, Rwenyonyi CM. Knowledge and antibiotics prescription pattern among Ugandan oral health care providers: a cross-sectional survey. *J Dent Res Dent Clin Dent Prospect.* 2011; 5(2): 61-6.

Kanaparth R, Kanaparth R, Mahendra M. C-reactive protein as a marker of periodontal disease. *Gen Dent.* 2012; 60(1): e1-5.

Kaya GŞ, Yapıcı G, Savaş Z, Güngörümüş M. Comparison of Alvogyl, SaliCept patch, and low-level laser therapy in the management of alveolar osteitis. *J Oral Maxillofac Surg.* 2011; 69(6): 1571-7.

Kim JW, Cha IH, Kim SJ, Kim MR. Which risk factors are associated with neurosensory deficits of inferior alveolar nerve after mandibular third molar extraction?. *J Oral Maxillofac Surg.* 2012; 70(11): 2508-14.

Kim JW, Cha IH, Kim SJ, Kim MR. Which risk factors are associated with neurosensory deficits of inferior alveolar nerve after mandibular third molar extraction? *J Oral Maxillofac Surg.* 2012; 70(11): 2508-14.

Kim Y, Kim S, Myoung H. Independent predictors of satisfaction in impacted third molar surgery patients. *Community Dent Oral Epidemiol.* 2010 Mar 26. [Epub ahead of print].



BIBLIOGRAFÍA

Arteagoitia I Alvarez J Barbier L Santamaría J Santamaría G

Kolokythas A, Olech E, Miloro M. Alveolar osteitis: a comprehensive review of concepts and controversies. *Int J Dent.* 2010; 2010: 249073.

Koong B. The basic principles of radiological interpretation. *Aust Dent J.* 2012; 57 Suppl 1: 33-9.

Kosutic D, Uglesic V, Perkovic D, Persic Z, Solman L, Lupi S et al. Preoperative antiseptics in clean/contaminated maxillofacial and oral surgery: prospective randomized study. *Int J Oral Maxillofac Surg.* 2009; 38(2): 160-5.

Koyuncu BO, Cetingül E. Short-term clinical outcomes of two different flap techniques in impacted mandibular third molar surgery. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2012 Aug 23. [Epub ahead of print].

Kunkel M, Kleis W, Morbach T, Wagner W. Severe third molar complications including death-lessons from 100 cases requiring hospitalization. *J Oral Maxillofac Surg.* 2007; 65(9): 1700-6.

La lucha contra la resistencia bacteriana. *Farmacéuticos.* 2012; 379: 52-8.

Lacasa JM, Jimenez JA, Ferras V, Bossom M, Sola-Morales O, Garcia-Rey C, Aguilar L, Garau J. Prophylaxis versus pre-emptive treatment for infective and inflammatory complications of surgical third molar removal: a randomized, double-blind, placebo-controlled, clinical trial with sustained release amoxicillin/clavulanic acid (1000/62.5mg). *Int J Oral Maxillofac Surg.* 2007; 36(4): 321-7.

Lauber C, Lalh SS, Grace M, Smith MH, MacDougal K, West P et al. Antibiotic prophylaxis practices in dentistry: a survey of dentists and physicians. En: www.cda-adc.ca/cda/vol-73/issue-3/263.html

Leung YY, Cheung LK. Correlation of radiographic signs, inferior dental nerve exposure, and deficit in third molar surgery. *J Oral Maxillofac Surg.* 2011; 69(7): 1873-9.

Limeres J, Sanroman JF, Tomas I, Diz P. Patients' perception of recovery after third molar surgery following postoperative treatment with moxifloxacin versus amoxicillin and clavulanic acid: a randomized, double-blind, controlled study. *J Oral Maxillofac Surg.* 2009; 67(2): 286-91.

Liporaci JL. Assessment of preemptive analgesia efficacy in surgical extraction of third molars. *Rev Bras Anestesiol.* 2012; 62(4): 502-10.

Lleras ME, Contreras MV, Montilla de Sosa ME, Gottberg de Noguera E. Uso de la clorhexidina al 0,12% como prevención de la osteitis alveolar en la extracción indicada del tercer molar inferior incluido. *Revista Odontológica de los Andes.* 2006; 1(2): 14-20.

Lodi G, Figini L, Sardella A, Carrassi A, Del Fabbro M, Furness S. Antibiotics to prevent complications following tooth extractions. *Cochrane Database of Systematic Reviews* 2012, Issue 11. Art. No.:CD003811.DOI: 10.1002/14651858.CD003811.pub2.

Long H, Zhou Y, Liao L, Pyakurel U, Wang Y, Lai W. Coronectomy vs. total removal for third molar extraction: a systematic review. *J Dent Res.* 2012; 91(7): 659-65.

López M, Vílchez MA, Gargallo J, Arnabat J, Gay C. Efficacy of low-level laser therapy in the management of pain, facial swelling, and postoperative trismus after a lower third molar extraction. A preliminary study. *Lasers Med Sci.* 2012; 27(3): 559-66.

Lopez-Cedrun JL, Pijoan JL, Fernandez S, Santamaria J, Hernandez G. Efficacy of amoxicillin treatment in preventing postoperative complications in patients undergoing third molar surgery: a prospective, randomized, double-blind controlled study. *J Oral Maxillofac Surg.* 2011; 9(6): e5-14.

Luaces-Rey R, Arenaz J, López-Cedrun JL, Martínez C, Pértega S, Sironvalle S. Efficacy and safety comparison of two amoxicillin administration schedules after third molar removal. A



BIBLIOGRAFÍA

Arteagoitia I Alvarez J Barbier L Santamaría J Santamaría G

randomized, double-blind and controlled clinical trial. *Med Oral Patol Oral Cir Bucal.* 2010; 15(4): e633-8.

Lübbbers HT, Matthews F, Damerau G, Kruse AL, Obwegeser JA, Grätz KW, et al. Anatomy of impacted lower third molars evaluated by computerized tomography: is there an indication for 3-dimensional imaging?. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2011; 111: 547-50.

Lucena JF, Alegre F, Hernández A, Lecumberri R, Prieto JM. Exploración de los síndromes con el laboratorio. En: Balcells GA. La clínica y el laboratorio. 21^a Ed. Elsevier: Barcelona; 2010. p 435-437.

Mainjot A, D'Hoore W, Vanheusden A, Van Nieuwenhuysen JP. Antibiotic prescribing in dental practice in Belgium. *Int Endod J.* 2009; 42(12): 1112-7.

Malkawi Z, Al-Omri MK, Khraisat A. Risk indicators of postoperative complications following surgical extraction of lower third molars. *Med Princ Pract.* 2011; 20(4): 321-5.

Martínez N, Barona C, Martín M, Cortés J, Martínez JM. Evaluation of the anaesthetic properties and tolerance of 1:100,000 articaine versus 1:100,000 lidocaine. A comparative study in surgery of the lower third molar. *Med Oral Patol Oral Cir Bucal.* 2012; 17(2): e345-51.

Metin M, Tek M, Sener I. Comparison of two chlorhexidine rinse protocols on the incidence of alveolar osteitis following the surgical removal of impacted third molars. *J Contemp Dent Pract.* 2006; 7(2): 79-86.

Mínguez MP, Salort C, Silvestre FJ. Chlorhexidine in the prevention of dry socket: Effectiveness of different dosage forms and regimens. *Med Oral Patol Oral Cir Bucal.* 2009; 14(9): e445-9.

Monaco G, de Santis G, Gatto MR, Corinaldesi G, Marchetti C. Coronectomy: a surgical option for impacted third molars in close proximity to the inferior alveolar nerve. *J Am Dent Assoc.* 2012; 143(4): 363-9.

Monaco G, Tavernese L, Agostini R, Marchetti C. Evaluation of antibiotic prophylaxis in reducing postoperative infection after mandibular third molar extraction in young patients. *J Oral Maxillofac Surg.* 2009; 67(7): 1467-72.

Moore PA, Nahouraii HS, Zovko JG, Wisniewski SR. Dental therapeutic practice patterns in the U.S. I. Anesthesia and sedation. *Ten Dent* 2006; 54(2): 92-8.

Morimoto Y, Niwa H, Minematsu K. Hemostatic management of tooth extractions in patients on oral antithrombotic therapy. *J Oral Maxillofac Surg.* 2008; 66(1): 51-7.

Morimoto Y, Niwa H, Nakatani T. On the use of prothrombin complex concentrate in patients with coagulopathy requiring tooth extraction. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2010; 110(6): e7-10.

Noorani A, Rabey N, Walsh SR, Davies RJ. Systematic review and meta-analysis of preoperative antisepsis with chlorhexidine versus povidone-iodine in clean-contaminated surgery. *Br J Surg.* 2010; 97(11): 1614-20.

Ogundipe OK, Ugboko VI, Owotade FJ. Can autologous platelet-rich plasma gel enhance healing after surgical extraction of mandibular third molars? *J Oral Maxillofac Surg.* 2011; 69(9): 2305-10.

Ohman A, Kivijarvi K, Blomback U, Flygare L. Pre-operative radiographic evaluation of lower third molars with computed tomography. *Dentomaxillofac Radiol.* 2006; 61: 417-21.

Oomens MA, Forouzanfar T. Antibiotic prophylaxis in third molar surgery: a review. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2012; 114(6): e5-e12.



Osunde OD, Adebola RA, Saheeb BD. A comparative study of the effect of suture-less and multiple suture techniques on inflammatory complications following third molar surgery. *Int J Oral Maxillofac Surg.* 2012; 41(10): 1275-9.

Ozmeric N, Mollaoglu N, Elgun S, Devrim E. Impact of chlorhexidine mouth rinse use of postextraction infection via nitric oxide pathway. *Inflamm Res.* 2010; 59(6): 437-41.

Palma C, García B, Larrazabal C, Peñarrocha M. Radiographic signs associated with inferior alveolar nerve damage following lower third molar extraction. *Med Oral Patol Oral Cir Bucal.* 2010; 15(6): e886-90.

Park W, Choi JW, Kim JY, Kim BC, Kim HJ, Lee SH. Integridad de la cortical del canal dentario inferior como factor de predicción de la parestesia después de la extracción de los terceros molares. *JADA.* 2010; 5(3): 107-14.

Pasler FA. Color Atlas of Dental Medicine Radiology. 1^a Ed. Nueva York: Editorial Thieme Medical Publishers; 1993.

Pasupathy S, Alexander M. Antibiotic prophylaxis in third molar surgery. *J Craniofac Surg.* 2011; 22(2): 551-3.

Pejcic A, Kesic LJ, Milasin J. C-reactive protein as a systemic marker of inflammation in periodontitis. *Eur J Clin Microbiol Infect Dis.* 2011; 30(3): 407-14.

Pell GJ, Gregory GT. Impacted mandibular third molars: classifications and modified technique for removal. *Dent Digest* 1933; 39: 330-8.

Piecuch F, Arzadon J, Lieblich S. Prophylactic antibiotics for third molar surgery: a supportive opinion. *J Oral Maxillofac Surg.* 1995; 53: 53-60.

Piecuch JF. What strategies are helpful in the operative management of third molars?. *J Oral Maxillofac Surg.* 2012; 70(9 Suppl 1): s25-32.

Poeschl PW, Eckel D, Poeschl E. Postoperative prophylactic antibiotic treatment in third molar surgery—a necessity?. *J Oral Maxillofac Surg.* 2004; 62(1): 3-8.

Pogrel MA. What is the effect of timing of removal on the incidence and severity of complications?. *J Oral Maxillofac Surg.* 2012; 70(9 Suppl 1): s37-40.

Polat HB, Ozdemir H, Ay S. Effect of different mouth rinses on third molar surgery-related oral malodor. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2008; 105(3): e1-8.

Reekie D, Downes P, Dewlin CV, Nixon GM, Devlin H. The prevention of “dry socket” with topical metronidazole in general dental practice. *Br Dent J.* 2006; 200(4): 210-3.

Ren YF, Malmstrom HS. Rapid quantitative determination of C-reactive protein at chair side in dental emergency patients. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2007; 104(1): 49-55.

Ren YF, Malmstrom HS. Effectiveness of antibiotic prophylaxis in third molar surgery: a meta-analysis of randomized controlled clinical trials. *J Oral Maxillof Surg.* 2007; 65(10): 1909-21.

Ritzau M, Swangsilpa K. The prophylactic use of propylic ester of p-hydrobenzoic acid in alveolitis sicca dolorosa. A preliminary report. *Oral Surg Oral Med Oral Pathol.* 1977; 43(1): 32-7.

Rodrigues MT, Cardoso CL, Carvalho PS, Cestari TM, Feres M, Garlet GP et al. Experimental alveolitis in rats: microbiological, acute phase response and histometric characterization of delayed alveolar healing. *J Appl Oral Sci.* 2011; 19(3): 260-8.



BIBLIOGRAFÍA

Arteagoitia I Alvarez J Barbier L Santamaría J Santamaría G

Rodríguez A, Cisneros R, Velasco E, Llamas JM, Torres D, Segura JJ. Antibiotic use by members of the Spanish Endodontic Society. *J Endod*. 2009; 35(9): 1198-203.

Rodríguez E, Rodríguez MT. Tratamiento antibiótico de la infección odontogénica. *Inf Ter Sist Nac Salud*. 2009; 33(3): 67-79.

Romero MM Herrero M, Torres D, Gutiérrez JL. Postoperative pain and swelling treatment protocol. A rational approach. *RCOE*. 2006; 11(2): 205-15.

Rood JP, Shehab BA. The radiological prediction of inferior alveolar nerve injury during third molar surgery. *Br J Oral Maxillofac Surg*. 1990; 28: 20-5.

Rubio J, González J, García J, Hueto JA, Mareque J, Raspall G. Study of the effectiveness of 0.2% bioadhesive chlorhexidine gel in the prevention of dry socket after wisdom teeth extraction. *Int J Oral Maxillofac Surg*. 2009; 38(5): 453-4.

Rudin A, Eriksson L, Ledholm R, List T, Werner MU. Prediction of postoperative pain after mandibular third molar surgery. *J Orofac Pain*. 2010; 24(2): 189-96.

Salmerón JI, del Amo A. Antibiotic prophylaxis in Oral and Maxilofacial Surgery. *Med Oral Patol Oral Cir Bucal*. 2006; 11(3): e292-6.

Sanchis JM, Hernández S, Peñarrocha M. Flap repositioning versus conventional suturing in third molar surgery. *Med Oral Patol Oral Cir Bucal*. 2008; 13(2): e138-42.

Sanchis JM, Sáez U, Peñarrocha M, Gay C. Tetracycline compound placement to prevent dry socket: a postoperative study of 200 impacted mandibular third molars. *J Oral Maxillofac Surg*. 2004; 62(5): 587-91.

Sancho M, Herráez JM, Berini L, Gay C. Antibiotic prophylaxis to prevent local infection in Oral Surgery: Use or abuse?. *Med Oral Patol Oral Cir Bucal*. 2009; 14(1): e28-33.

Sancho M, Herráez JM, Valmaseda E, Berini L, Gay C. Analysis of the antibiotic prophylaxis prescribed by Spanish Oral Surgeons. *Med Oral Patol Oral Cir Bucal*. 2009; 14(10): e533-7.

Sancho M, Vílchez MA, Valmaseda E, Paredes J, Berini L, Gay C. Bupivacaine 0.5% versus articaine 4% for the removal of lower third molars. A crossover randomized controlled trial. *Med Oral Patol Oral Cir Bucal*. 2012; 17(3): e462-8.

Sanmartí G, Valmaseda E, Gay C. Does computed tomography prevent alveolar nerve injuries caused by lower third molar removal?. *J Oral Maxillofac Surg*. 2012; 70(1): 5-11.

Schwartz AB, Larson EL. Antibiotic prophylaxis and postoperative complications after tooth extraction and implant placement: a review of the literature. *J Dent*. 2007; 35(12): 881-8.

Siddiqi A, Morkel JA, Zafar S. Antibiotic prophylaxis in third molar surgery: A randomized double-blind placebo-controlled clinical trial using split-mouth technique. *Int J Oral Maxillofac Surg*. 2010; 39(2): 107-14.

Silva JL, Jardim EC, dos Santos PL, Pereira FP, Garcia IR, Poi WR. Comparative analysis of 2-flap designs for extraction of mandibular third molar. *J Craniofac Surg*. 2011; 22(3): 1003-7.

Simmons NA. British Society for Antimicrobial Chemotherapy working party report. Recommendations for endocarditis prophylaxis. *J Antimicrob Chemother* 1993; 31: 437-8.

Sisalli U, Lalli C, Cerone L, Maida S, Manzoli L, Serra E et al. Amoxicillin and clavulanic acid vs ceftazidime in the surgical extraction of impacted third molar: a comparative study. *Int J Immunopathol*. 2012; 25(3): 771-4.



Sivolella S, Bocuzzo G, Franco M, Stellini E, Di Fiore A, Berengo M. Influence of estroprogestinic therapy on the postoperative course following impacted third molar extraction. *Minerva Stomatol.* 2010; 59(11-12): 611-23.

Smith WP. The relative risk of neurosensory deficit following removal of mandibular third molar teeth: the influence of radiography and surgical technique. *Oral Surg Oral Med Oral Pathol Oral Radiol* 2013; 115(1): 18-24.

Sortino F, Cicciu M. Strategies used to inhibit postoperative swelling following removal of impacted lower third molar. *Dent Res J (Isfahan)*. 2011; 8(4): 162-71.

Sridhar V, Wali GG, Shyla HN. Evaluation of the perioperative use of 0.2% chlorhexidine gluconate for the prevention of alveolar osteitis after the extraction of impacted mandibular third molars: a clinical study. *J Maxillofac Oral Surg.* 2011; 10(2): 101-11.

Stillwell KD, Anderson BJ. Adult minimal oral sedation in the general practice setting. *Gen Dent.* 2012; 60(1): 31-43.

Susarla SM, Sharaf B, Dodson TB. Do antibiotics reduce the frequency of surgical site infections after impacted mandibular third molar surgery?. *Oral Maxillofac Surg Clin North Am.* 2011; 23(4): 541-6.

Szalma J, Lempel E, Jeges S, Olasz L. Darkening of third molar roots: panoramic radiographic associations with inferior alveolar nerve exposure. *J Oral Maxillofac Surg.* 2011; 69(6): 1544-9.

Tay AB, Go WS. Effect of exposed inferior alveolar neurovascular bundle during surgical removal of impacted lower third molars. *J Oral Maxillofac Surg.* 2004; 62(5): 592-600.

Tolstunov L. Influence of immediate post-extraction socket irrigation on development of alveolar osteitis after mandibular third molar removal: a prospective split-mouth study, preliminary report. *Br Dent J.* 2012; 213(12): 597-601.

Tomás I, Diz P, Limeres J, Outumuro M, Caamaño F, Fernández J et al. Chemoprophylaxis of Bacterial Endocarditis recommended by General Dental Practitioners in Spain. *Med Oral.* 2004; 9: 56-62.

Torres D, Gutierrez JL, Hita P, Magallanes N, Flores R, Basallote M et al. Randomized, double-blind study of effectiveness of intra-alveolar application of chlorhexidine gel in reducing incidence of alveolar osteitis and bleeding complications in mandibular third molar surgery in patients with bleeding disorders. *J Oral Maxillofac Surg.* 2010; 68(6): 1322-6.

Torres D, Gutierrez JL, Infante P, Garcia M, Romero MM, Serrera MA. Randomized, double-blind study on effectiveness of intra-alveolar chlorhexidine gel in reducing the incidence of alveolar osteitis in mandibular third molar surgery. *Int J Oral Maxillofac Surg.* 2006; 35(4): 348-51.

Torres D, Infante P, Gutierrez JL, Romero MM, Garcia M, Serrera MA. Intra-alveolar chlorhexidine gel for the prevention of dry socket in mandibular third molar surgery. A pilot study. *Med Oral Patol Oral Cir Bucal.* 2006; 11(2): e179-84.

Torres D, Serrera MA, Romero MM, Infante P, García M, Gutiérrez JL. Update on dry socket: a review of the literature. *Med Oral Patol Oral Cir Bucal.* 2005; 10(1): 77-81.

Torres F, Renilla A, Flórez JP, Secades S, Benito EM, de la Hera JM. Knowledge of Infective Endocarditis and Prophylaxis Among Spanish Dentists [letter]. *Rev Esp Cardiol.* 2012; 65(12): 1134-42.

Trullenque A, Guisado B. Comparative study of two local anesthetics in the surgical extraction of mandibular third molars: Bupivacaine and articaine. *Med Oral Patol Oral Cir Bucal.* 2011; 16(3): e390-6.



Tuna A, Delilbasi C, Arslan A, Gurol Y, Tazegun Tekkanat Z. Do antibacterial mouthrinses affect bacteraemia in third molar surgery? A pilot study. *Aust Dent J.* 2012; 57(4): 435-9.

Ueda M, Nakamori K, Shiratori K, Igarashi T, Sasaki T, Anbo N, et al. Clinical significance of computed tomographic assessment and anatomic features of the inferior alveolar canal as risk factors for injury of the inferior alveolar nerve at third molar surgery. *J Oral Maxillofac Surg.* 2012; 70(3): 514-20.

Van Eeden SP, Bülow K. Post-operative sequelae of lower third molar removal: a literature review and pilot study on the effect of Covomycin D. *SADJ.* 2006; 61(4): 154-9.

Vessal G, Khabiri A, Mirkhani H, Cookson BD, Askarian M. Study of antibiotic prescribing among dental practitioners in Shiraz, Islamic Republic of Iran. *East Mediterr Health J.* 2011; 17(10): 763-9.

Wallach J. Interpretación clínica de las pruebas de laboratorio. 4^a Ed. Masson: Barcelona; 2002.

Wilson W, Taubert KA, Gewitz M, Lockhart PB, Baddour LM, Levison M et al. Prevention of infective endocarditis: guidelines from the American Heart Association: a guideline from the American Heart Association Rheumatic Fever, Endocarditis, and Kawasaki Disease Committee, Council on Cardiovascular Disease in the Young, and the Council on Clinical Cardiology, Council on Cardiovascular Surgery and Anesthesia, and the Quality of Care and Outcomes Research Interdisciplinary Working Group. *Circulation.* 2007; 116(15): 1736-54.

Winter GB. Impacted mandibular third molars. St. Louis: Ed. Amer. Med. Book Co. 1926.

Wisniewska I, Slósarczyk A, Mysliwiec L, Sporniak-Tutak K. Lincomycin applied to the alveolus on TCP carrier and its effect on wound healing after surgical extraction of a third molar. *Ann Acad Med Stetin.* 2009; 55(2): 59-64.

Yengopal V, Mickenautsch S. Chlorhexidine for the prevention of alveolar osteitis. *Int J Oral Maxillofac Surg.* 2012; 41(10): 1253-64.

Zadik Y, Levin L. Clinical decision making in restorative dentistry, endodontics, and antibiotic prescription. *J Dent Educ.* 2008; 72(1): 81-6.